Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	40	(dc or "d.c") and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and (generator$1 or (backup near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:23
L3	40	(dc or "d.c") and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and (generator$1 or ((backup or emergencey) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:34
L4	15.	(power near (loss or fail$6)) and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and (generator$1 or ((backup or emergencey) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR·	OFF	2005/11/04 07:34
L5	989129	(simulat$6 with (power or electrical) with (fail$5 or outage$1 or loss$)) and display$3 (generator$1 or ((backup or emergencey) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:34
L6	15	(power near (loss or fail$6)) and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and (generator$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:25
L7	40	(dc or "d.c") and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and (generator$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:34
L9	240	(simulat$6 with (power or electrical) with (fail$5 or outage$1 or loss$)) and display$3 and (generator$1 or ((backup or emergency) near power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:36

L10	71	(simulat$6 with (power or electrical) with (fail$5 or outage$1 or loss$)) and display$3 and (generator$1 or ((backup or emergency) near power)) and remote$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:53
L11	71	(simulat$6 with (power or electrical or electricity) with (fail$5 or outage$1 or loss$)) and display$3 and (generator$1 or ((backup or emergency) near power)) and remote$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 07:55
L12	210	(simulat$6 with (power or electrical or electricity) with (fail$5 or outage$1 or loss$)) and display$3 and (generator$1 or ((backup or emergency) near power)) and monitor$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:00
L13	12	(simulat$6 with (power or electrical or electricity) with (fail$5 or outage$1 or loss$)) and display$3 and ((backup or emergency) near (power or generator$1)) and monitor$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:01
L14	40	(simulat$6 with (power or electrical or electricity) with (fail$5 or outage$1 or loss$)) and display$3 and ((backup or emergency) near2 (power or generator$1)) and monitor$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:13
L15	39	(simulat$6 with (power or electrical or electricity) with (fail$5 or outage$1 or loss$)) and display$3 and ((backup or emergency) near2 (power or generator$1)) and remote$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:06
L16	2	(bellsouth or (bell adj south)).asn. and (monitor$5 with (power or generator$1) with remote$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:22
L17	3	JAMES-C-PAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:22
L20	46	"4977529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:55

L21	30	I20 and (simulat$6 with (fail$5 or outage$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 08:56
L22	1	I20 and (simulat$6 with (fail$5 or outage$1) with (power or electric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:05
L24	1459	(702/188).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:08
L25	0	"I24" and (simulat$6 with (power or electrical or electricity) with (fail$5 or outage$1 or loss$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:02
L26	289	"I24" and plant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:02
L27	315	"I24" and plant$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:02
L28	184924	"I24" and display$3 or ((user$1 or operator$1) near2 interfac$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:03
L29	217	"I24" and (display$3 or (user$1 or operator$1) near2 interfac$4) and (dc or "d.c")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:04
L30	1	"I24" and (display$3 or (user$1 or operator$1) near2 interfac$4) and ((dc or "d.c") with plant$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:04
L32	32	(simulat$6 with ((power or electrical or electricity) near (fail$5 or outage$1 or loss$))) and display$3 and remote$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:10

L33	84	(simulat$6 with ((power or electrical or electricity) near (fail$5 or outage$1 or loss$))) and display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:11
L34	5	(simulat$6 with ((power or electrical or electricity) near (fail$5 or outage$1 or loss$))) and (graphical near2 interface$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:11
L36	6	(power near (loss or fail$6)) and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and ((backup or emergency) near (power or generator$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:25
L37	7	(power near (loss or fail$6)) and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and ((backup or emergency) near2 (power or generator$1 or battery or batteries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:27
L38	20	display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) and ((backup or emergency) near2 (power or generator$1 or battery or batteries))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:28
L39	774	(remote$3 with monitor$5 with (power or generator$1 or plant$1)) and server$1 and network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:32
L40	5	(remote$3 with monitor$5 with (power or generator$1 or plant$1)) and server$1 and network$1 and (simulat$6 with (power or electric$3) with (fail$3 or outage$1 or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:37

L41	32	(monitor$5 with (power or generator$1 or plant$1)) and server$1 and network$1 and (simulat$6 with (power or electric$3) with (fail$3 or outage$1 or loss))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:34
L42	12	(remote$3 with monitor$5 with (power or generator$1 or plant$1)) and server$1 and network$1 and (rectif$6 with (current or currents)) and (rectif$6 with volt$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:40
L43	67	(monitor$5 with (power or generator$1 or plant$1)) and server$1 and network$1 and (rectif$6 with (current or currents)) and (rectif$6 with volt$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:01
L44	596	(702/57).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L45	543	(702/60).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L46	241	(702/61).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L47	209	(702/62).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L48	286	(702/63).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02
L49	464	(702/64).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:02

L50	354	(702/65).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:03
L52	638	(702/108).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:03
L54	2952	l44 l45 l46 l47 l48 l49 l50 l52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:04
L55	7	l54 and (simulat$6 with (fail$5 or outage$1) with (power or electric$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:05
L58	2	(702/188.ccls.) and (plant$1 and simulat$6).clm.	US-PGPUB	OR	OFF	2005/11/04 12:10
L60	1	(702/188.ccls.) and (plant$1 and rectif$4).clm.	US-PGPUB	OR	OFF	2005/11/04 12:11
L61	11	(702/188.ccls.) and (plant$1 and interfac$5).clm.	US-PGPUB	OR	OFF	2005/11/04 12:11
S1	82	(dc with plant$1) and (monitor$4 with dc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:42
S2	2	2002/0134083	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:49
S3	0	2004/0107415	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:49
S4	2	"20040107415"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:49
S5	2	"20020134083"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:51

S6	388	(((nuclear or electric$2 or power) near plant$1) or powerplant$1) and (graphic$2 near2 interfac$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S7	308	(((nuclear or electric$2 or power) near plant$1) or powerplant$1) and (graphic$2 near2 interfac$5) and network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:53
S8	208	(((nuclear or electric$2 or power) near plant$1) or powerplant$1) and (graphic$2 near2 interfac$5) and network$1 and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:54
S9	266	(((nuclear or electric$2 or power) near (plant$1 or facilit$4)) or powerplant$1) and (graphic$2 near2 interfac$5) and network$1 and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S10	503	(((nuclear or electric$2 or power) near (plant$1 or facilit$4)) or powerplant$1) and (graphic$2 near2 interfac$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S11	385	(((nuclear or electric$2 or power) near (plant$1 or facilit$4)) or powerplant$1) and (graphic$2 near2 interfac$5) and network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:55
S12	266	(((nuclear or electric$2 or power) near (plant$1 or facilit$4)) or powerplant$1) and (graphic$2 near2 interfac$5) and network$1 and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:56
S13	266	(((nuclear or electric$2 or power) near (plant$1 or facilit$4)) or powerplant$1) and (graphic$2 near2 interfac$5) and network$1 and server$1 and ((plant$1 or facilit$4) with (plant$1 or facilit$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 14:57
S15	54	(((nuclear or electric$2 or power) near (plant$1 or facilit$4)) or powerplant$1) and (graphic$2 near2 interfac$5) and network$1 and server$1 and ((plant$1 or facilit$4) with network$1) and volt$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:08

S16	2	"6839597"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:31
S17	4	"6853959"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:34
S18	2	"20030098683"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:35
S19	9	"6591296"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:43
S20	4	"2004102872"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	.OFF	2005/11/03 15:44
S21	0	"2004/102872"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:43
S22	46	"4977529"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:58
S23	14	"6067030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:01
S24	22	(dc with plant$1) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:09
S25	22	((dc or "d.c") with plant$1) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:24

S26	31	((dc or "d.c") with plant$1) and (display$3) and network$1 and server$1 and network$1 and volt$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:20
S27	550	((dc or "d.c") with (power$1 or battery or batteries or electric$4 or energy)) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:25
S28	78	((dc or "d.c") with (power$1 or battery or batteries or electric$4 or energy)) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents) and rectif$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:25
S29	39	((dc or "d.c") with (power$1 or battery or batteries or electric$4 or energy)) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:25
S30	6	((dc or "d.c") with (power$1 or battery or batteries or electric$4 or energy)) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:30
S31	2	((dc or "d.c") with (generator$1)) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:30
S32	3	((dc or "d.c") with (generator$1 or motor$1)) and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:30

| S33 | 8 | (dc or "d.c") and (graphic$2 near2 interfac$5) and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/03 16:31 |
| S34 | 88 | (dc or "d.c") and display$3 and network$1 and server$1 and network$1 and volt$3 and (current or currents) and (rectif$5 with volt$4) and (rectif$5 with (current or currents)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/04 06:43 |